

Model 123 – Case Inspection/Rejection



Precise inspections of all cases for defects and packaging quality, including a simple, ergonomic case re-insertion mode

[illegible]

The following are the main findings of the study:

1. 在“**数据源**”列表框中，单击“**数据源名称**”按钮，打开“**数据源名称**”对话框，如图 10-1-10 所示。

Figure 1. The effect of the initial concentration of the monomer on the polymerization of α -methylstyrene initiated by TiCl_4 in CH_2Cl_2 at -78°C . The polymerization was carried out in the presence of 0.01 mole of TiCl_4 and 0.01 mole of CH_2Cl_2 in 10 ml of CH_2Cl_2 solution. The initial concentration of the monomer was varied from 0.01 to 0.1 mole/l. The polymerization was carried out for 10 min. The polymerization was carried out in the presence of 0.01 mole of TiCl_4 and 0.01 mole of CH_2Cl_2 in 10 ml of CH_2Cl_2 solution. The initial concentration of the monomer was varied from 0.01 to 0.1 mole/l. The polymerization was carried out for 10 min.

The following are some of the most common types of business insurance:

1. Introduction

Themenkomplex: Allgemeine Pathologie

T-A, C-G, A-T, & G-C

Ideal for...

It is not possible to make a general statement about the effect of the different types of stimuli on the response. The response is determined by the type of stimulus, the intensity of the stimulus, and the state of the system.

Model 123 – Case Inspection/Rejection


Precise inspection of up to 30 cases per minute



Reliable case rejection with re-insertion mode



Simple operation with touch screen interface



Option: Missed label detection system



Option: Label vision system



Technical Data	